



**TAWAKAL
POWER TOOLS**



TAWAKAL POWER TOOLS

"Empowering Your Tools, Elevating Your Work"

"Tawakal Power Tools, driven by innovation and guided by excellence, is a trusted power tools, Agricultural machinery and accessories supplier based in Bangalore, providing reliable tools for precision, durability, and performance."



+91 8951245485



tawakalpowertools@gmail.com



www.tawakalpowertools.com

Gasoline Chain Saw

73CC Gasoline Chain Saw



73 CC
2.8 KW
CDI
25:1 Oil Ration
0.325" Type Chain
2800 rpm

IBMA
POWER

84CC Gasoline Chain Saw



84 CC
2.8 KW
CDI
25:1 Oil Ration
0.325" Type Chain

ORA
Focused on You

82CC Gasoline Chain Saw



82 CC
2.8 KW
CDI
25:1 Oil Ration
0.325" Type Chain

JRK

62CC Gasoline Chain Saw



62 CC
2.8 KW
CDI
25:1 Oil Ration
0.325" Type Chain

CLIF
PLUS

62CC Gasoline Chain Saw



62 CC
2.8 KW
CDI
25:1 Oil Ration
0.325" Type Chain

TOOL MASTER
GOLD LINE

68CC Gasoline Chain Saw



68 CC
2.8 KW
CDI
25:1 Oil Ration
0.325" Type Chain

WOODPARK
Professional Power Tools

58CC Gasoline Chain Saw



58 CC
2.8 KW
CDI
25:1 Oil Ration
0.325" Type Chain

CLIF
OMEGA

58CC Gasoline Chain Saw



58 CC
2.8 KW
CDI
25:1 Oil Ration
0.325" Type Chain

FOREST WOLF

58CC Gasoline Chain Saw



58 CC
2.8 KW
CDI
25:1 Oil Ration
0.325" Type Chain

KingPark

90CC GASOLINE CHAINSAW



90CC
4.5KW
3500rpm

TOOL MASTER
GOLDLINE XL

65CC Gasoline Chain Saw



65 CC
2.8 KW
CDI
25:1 Oil Ration
0.325" Type Chain

Hamilton Pro

58CC Gasoline Chain Saw



58 CC
2.8 KW
CDI
25:1 Oil Ration
0.325" Type Chain

finer

Gasoline Chain/Cordless Saw

58CC

Gasoline Chain Saw



58 CC
2.8 KW
CDI
25:1 Oil Ration
0.325" Type Chain

FORPARK

68CC

Gasoline Chain Saw



68 CC
2.8 KW
CDI
25:1 Oil Ration
0.325" Type Chain

CanFly

Cordless Chain Saw

OR-CL-CS12A



21v
0-2500r/min
GUIDE: 12"/150mm
CHAIN: 750mm

ORA
Focused on You

CORDLESS PRUNER

OR-CL-PR01A



21v
1500mAh
28mm

ORA
Focused on You

Cordless Chain Saw

OR-CL-CS08A



21v
450w
480m/min
8inch

ORA
Focused on You

CORDLESS CHAINSAW

OR-CL-CS16A



42v
Guide: 16inch
Chain: 16inch

ORA
Focused on You

Gasoline Brush Cutter

BCG45

XIBMA
POWER

- Displacement: 63CC
- Rated Power: 3.1kw
- IDLNG Speed: 8500rpm



BC430D/BC520D

XIBMA
POWER

- Displacement: 43/52CC
- Rated Power: 1.45kw
- IDLNG Speed: 8500rpm



4 Stroke

CLIF
POWER TOOLS

- Displacement: 35.8CC
- Engine Power: 4 stroke
- IDLNG Speed: 2800-3200rpm



CLIF
POWER TOOLS

BC530D

- Displacement: 52CC
- Engine Power: 2 stroke
- IDLNG Speed: 2800-3200rpm



www.tawakalpowertools.com

SAW CHAIN



SIZE :16"/18"/22"

- Full Chisel
- Faster Cutting
- Better Stretch



CLIF MAX

SIZE : 16"/18"/22"

- Full Chisel
- Faster Cutting
- Better Stretch




SIZE :16"/18"/22"

- Full Chisel
- Faster Cutting
- Better Stretch



SIZE :16"/18"/22"

- Full Chisel
- Faster Cutting
- Better Stretch



SIZE :16"/18"/22"

- Full Chisel
- Faster Cutting
- Better Stretch



SIZE :16"/18"/22"

- Full Chisel
- Faster Cutting
- Better Stretch



Tiger

SIZE :16"/18"/22"

- Full Chisel
- Faster Cutting
- Better Stretch



SIZE :16"/18"/22"

- Full Chisel
- Faster Cutting
- Better Stretch

GUIDE BAR



SIZE :16"/18"/22"



SIZE : 16"/18"/22"



SIZE :16"/18"/22"



SIZE :16"/18"/22"



CLIF MAX

SIZE :16"/18"/22"



SIZE :16"/18"/22"



SIZE :16"/18"/22"



CLIF

SIZE :16"/18"/22"



CARBURETOR

BIG DINT



- Fuel Type: Petrol
- Voltage / Freq.: N/A
- Air Flow Rate: 250 CFM

CLIF MAX



- Fuel Type: Petrol
- Voltage / Freq.: N/A
- Air Flow Rate: 250 CFM

CLIF MAX



- Fuel Type: Petrol
- Voltage / Freq.: N/A
- Air Flow Rate: 250 CFM

TOOL MASTER GOLD LINE




- Fuel Type: Petrol
- Voltage / Freq.: N/A
- Air Flow Rate: 250 CFM

CANWELL



- Fuel Type: Petrol
- Voltage / Freq.: N/A
- Air Flow Rate: 250 CFM

FORPARK



- Fuel Type: Petrol
- Voltage / Freq.: N/A
- Air Flow Rate: 250 CFM

Chainsaw Files

OREGON

Chainsaw File



4mm/4.5mm/4.8mm/5.5mm

TOOL MASTER GOLD LINE

Chainsaw File



4mm/4.8mm

CLIF

Chainsaw File



4mm/4.5mm/4.8mm

CYLINDER SET

CYLINDER SET

HAMILTON PRO

58CC



- High-Quality Alloy Material
- Precision Engineered Design
- Wear-Resistant Coating
- Heat-Treated for Durability
- Corrosion-Resistant Finish

CYLINDER SET

JRK

58CC



- High-Quality Alloy Material
- Precision Engineered Design
- Wear-Resistant Coating
- Heat-Treated for Durability
- Corrosion-Resistant Finish

CYLINDER SET

SUPER CUT

58CC



- High-Quality Alloy Material
- Precision Engineered Design
- Wear-Resistant Coating
- Heat-Treated for Durability
- Corrosion-Resistant Finish

CYLINDER SET

CANWELL

72CC



- High-Quality Alloy Material
- Precision Engineered Design
- Wear-Resistant Coating
- Heat-Treated for Durability
- Corrosion-Resistant Finish

CYLINDER SET

CLIF MAX

58CC



- High-Quality Alloy Material
- Precision Engineered Design
- Wear-Resistant Coating
- Heat-Treated for Durability
- Corrosion-Resistant Finish

CYLINDER SET

FORPARK

58CC



- High-Quality Alloy Material
- Precision Engineered Design
- Wear-Resistant Coating
- Heat-Treated for Durability
- Corrosion-Resistant Finish

WATER PUMPS



TOOL MASTER
GOLD LINE

- Fuel Type: Petrol
- Engine: 6.5Hp
- Lift: 25mm
- Suction: 7m
- Net Weight: 21kg



CLIF[®]
POWER TOOLS

- Fuel Type: Petrol
- Engine: 6.5Hp
- Lift: 25mm
- Suction: 7m
- Net Weight: 21kg

AGRICULTURAL SPRAYER

CLIF[®]
POWER TOOLS

CL-EM-30*3



- Pressure: 20/45kg/cm2
- Speed: 2800rpm
- Reaquire Power: 3hp

CLIF[®]
POWER TOOLS

CL-170



- Displacement: 7hp
- Speed: 4000rpm
- Engine Type: 4 Stroke

Earth Auger



CLIF[®]
POWER TOOLS

- Displacement: 85 CC
- Engine Power: 3.1 KW
- Engine Type: 2 Stroke
- Rated speed: 8500R/min



CLIF[®]
POWER TOOLS

- 52CC
- 1.7KW
- 3000rpm
- 1200mm
- HAND PUSH STAND AVAILABLE

Agricultural Weeder

CLIF Agro

GOLD POWER WEEDER
CD 9001 A

ENGINE SPECIFICATIONS	
BRAND	CLIF AGRO
MODEL	CD 9001A
ENGINE MODEL	186F
POWER	(9 HP)
TYPE	1 CYLINDER, 4 STROKE, AIR COOLING
FUEL TYPE	DIESEL
DISPLACEMENT	418 CC
START SYSTEM	SELF & RECOIL START

WEEDER SPECIFICATION	
MAX POWER	6.3 KW / 3600 RPM
TIRE TYPE	4.0-8 TUBELESS
WORKING DEPTH	150 - 300MM
GEAR SHIFTING	2 FORWARD, 1ST & SLOW / REVERSE
TRANSMISSION	GEAR
PACKING DETAIL	PLYWOOD
WEIGHT	112 KG / 242 KG

ACCESSORIES: 2PCS OF ROTARY SHAFT 40PCS OF HIGH QUALITY BLADES 2PCS OF TYPE 2PCS OF SIDE DISC 2PCS BACK ROD TOOL KIT



CLIF Agro

MINI WEEDER

CL - HP 5205

Brand	CLIF AGRO
Model	CL-HP 5205 (LOOSENER)
Power	3.5 HP
Type	2 Stroke
Engine	85cc
Max power	1.7kw/3000 RPM



CLIF Agro

GOLD POWER WEEDER
CP 7501A

ENGINE SPECIFICATIONS	
BRAND	CLIF AGRO
MODEL	CP 7501A
ENGINE MODEL	170F
POWER	(7.5HP)
TYPE	1 CYLINDER, 4 STROKE, AIR COOLING
FUEL TANK CAPACITY	3.6 LITRE
FUEL TYPE	GASOLINE
FUEL CONSUMPTION	360 GRAM / KW HOUR
LUBE CAPACITY	0.6 LITRE
START SYSTEM	RECOIL START

WEEDER SPECIFICATION	
MAX POWER	4 KW / 3600 RPM
TIRE TYPE	4.0-8 TUBELESS
HEADLIGHT & COVER	NO
WORKING DEPTH	150 - 300MM
GEAR SHIFTING	1
TRANSMISSION	GEAR
PACKING DETAIL	PLYWOOD
N.W / G.W	78 KG / 88 KG

ACCESSORIES: 2PCS OF ROTARY SHAFT 32PCS OF HIGH QUALITY BLADES 2PCS OF TYPE 2PCS OF SIDE DISC 2PCS BACK ROD TOOL KIT



CLIF Agro

GOLD POWER WEEDER
CP 7501B

ENGINE SPECIFICATIONS	
BRAND	CLIF AGRO
MODEL	CP 7501B
ENGINE MODEL	170F
POWER	(7.5HP)
TYPE	1 CYLINDER, 4 STROKE, AIR COOLING
FUEL TANK CAPACITY	3.6 LITRE
FUEL TYPE	GASOLINE
FUEL CONSUMPTION	360 GRAM / KW HOUR
LUBE CAPACITY	0.6 LITRE
START SYSTEM	RECOIL START

WEEDER SPECIFICATION	
MAX POWER	4 KW / 3600 RPM
TIRE TYPE	4.0-8 TUBELESS
HEADLIGHT & COVER	YES
WORKING DEPTH	150 - 300MM
GEAR SHIFTING	1
TRANSMISSION	GEAR
PACKING DETAIL	PLYWOOD
N.W / G.W	78 KG / 88 KG

ACCESSORIES: 2PCS OF ROTARY SHAFT 32PCS OF HIGH QUALITY BLADES 2PCS OF TYPE 2PCS OF SIDE DISC 2PCS BACK ROD TOOL KIT



CLIF Agro

PREMIUM POWER WEEDER
CD 7531B

ENGINE SPECIFICATIONS	
BRAND	CLIF AGRO
MODEL	CD 7531B
ENGINE MODEL	173F
POWER	(8 HP)
TYPE	1 CYLINDER, 4 STROKE, AIR COOLING
FUEL TYPE	DIESEL
DISPLACEMENT	247 CC
START SYSTEM	RECOIL START

WEEDER SPECIFICATION	
MAX POWER	6.3 KW / 3600 RPM
TIRE TYPE	4.0-8 TUBELESS
WORKING DEPTH	150 - 300MM
GEAR SHIFTING	1
TRANSMISSION	GEAR
PACKING DETAIL	PLYWOOD
WEIGHT	127 KG

ACCESSORIES: 2PCS OF ROTARY SHAFT 32PCS OF HIGH QUALITY BLADES 2PCS OF TYPE 2PCS OF SIDE DISC 2PCS BACK ROD TOOL KIT



CLIF Agro

PREMIUM POWER WEEDER
CP 7501C

ENGINE SPECIFICATIONS	
BRAND	CLIF AGRO
MODEL	CP 7501C
ENGINE MODEL	170F
POWER	(7.5HP)
TYPE	1 CYLINDER, 4 STROKE, AIR COOLING
FUEL TANK CAPACITY	3.6 LITRE
FUEL TYPE	GASOLINE
FUEL CONSUMPTION	360 GRAM / KW HOUR
LUBE CAPACITY	0.6 LITRE
START SYSTEM	RECOIL START

WEEDER SPECIFICATION	
MAX POWER	4 KW / 3600 RPM
TIRE TYPE	4.0-8 TUBELESS
HEADLIGHT & COVER	NO
WORKING DEPTH	150 - 300MM
GEAR SHIFTING	1
TRANSMISSION	GEAR
PACKING DETAIL	PLYWOOD
N.W / G.W	78 KG / 88 KG

ACCESSORIES: 2PCS OF ROTARY SHAFT 32PCS OF HIGH QUALITY BLADES 2PCS OF TYPE 2PCS OF SIDE DISC 2PCS BACK ROD TOOL KIT




CL-HP-8505

CLIF[®]
POWER TOOLS

- Power: 3.5 HP
- Engine: 85cc
- Max Power: 1.7kw/3000rpm

SPARE PARTS


SPARE PARTS (CHAIN SAW-5800/6200)



SPARE PARTS (CHAIN SAW-5800/6200)




SPARE PARTS (CHAIN SAW-5800/6200)



SPARE PARTS (BRUSH CUTTER)



Earth Auger Bits



2" Single Auger Bit
3" Single Auger Bit
4" Single Auger Bit
6" Single Auger Bit
8" Single Auger Bit
10" Single Auger Bit

12" Single Auger Bit
4" Double Auger Bit
6" Double Auger Bit
8" Double Auger Bit
10" Double Auger Bit
12" Double Auger Bit

Agricultural Knapsack Sprayer(2 in 1)



XY12V8AH(20HR)

Cycle use: 14.4-15.0v
standby: 13.5-13.8v

Tiller Attachment


X Type



Straight Type



Cross Type






POWER SPRAYERS

CL - 3X30

BRAND	CLIF ARGO
MODEL	CL-3X30
ENGINE POWER	1.49 - 2.23Kw (2 - 3HP)
PUMP SPEED	800 - 1000 RPM
OUTPUT PRESSURE	1.5 - 3.5KG
PUMP OIL	900 ML
SUCTION VOLUME	16.5 - 20.5L / MINUTE



POWER SPRAYER ENGINE

CL - 170



TAWAKAL POWER TOOLS

Shop No. 6, S.J.P. Road
Cross, Behind Jamia
Masjid, Bangalore –
560002

+91 89512 45485

080-41207378

tawakalpowertools@gmail.com

POWER SPRAYERS



CL - 2X22

BRAND	CLIF ARGO
MODEL	CL-2X22
ENGINE POWER	0.30 - 0.59Kw (0.4HP-0.8HP)
PUMP SPEED	800 - 1000 RPM
OUTPUT PRESSURE	1.5 - 3.5KG
PUMP OIL	900 ML
SUCTION VOLUME	9.5 - 10.5L / MINUTE



Our Branch: Tawakkal Agri Zone

Daulath Complex, Opp. Bata
Showroom, J C Road, Tumakuru,
572101.

+91 9886840276